1.933 Su7

UNITED STATES DEPARTMENT OF AGRICULTURE
Rural Electrification Administration
St. Louis (2) Missouri

SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

SPEEDY ACTION ESSENTIAL

Location:

Sharronville, Ohio

January 10, 1945

Condition:

New

Price:

Inventory price shown below. Cooperative desiring this item should note on their order in pencil the maximum price they are willing to pay.

Time Limit:

January 17, 1945

Order Instructions:

Mail orders to us in duplicate with Vendor's name and address blank for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference.

Suggestions:

Due to the small quantity that will be required by each Cooperative, it is suggested that the Cooperatives their purchases through one or two Cooperatives, to

in each state, group their purchases through one or two Cooperatives, to facilitate shipping and billing. The Cooperatives selected by you to make the group purchase should send us their order for the entire group, stating thereon the quantity for each individual Cooperative.

QUANTITY

DESCRIPTION

INVENTORY PRICE

160 with

COMBINATION PORTABLE EXTENSION
25'-0" additional attachment cord
fitted with plug and socket to

\$15.00

connect reel to convenience outlet.

50 without

attached cord

CURRENT SERIAL RECORD

FEB 2 6 1945

U. S. DEPARIMENT OF ASSUMATION

Frame. Substantia

----Cord on reel wired to socket in frame of reel.

for reel. Thium a

Reflector - 12" diam.

Reflector heavy bright polished steel; galvanized outside.

-Ventilation holes.

Weatherproof connection to lamp socket.

In all communications rubber cord to REA concerning these items, refer to SWP Release #17

In all communications to REA concerning these items, please refer to: SWP Release #17

1 1 11 11 11 11 11 11

with extinct

Lamp socket will take any lamp up to 300 Watts at 125 Volts or 600 Watts at 250 Volts. - Socket - Bryant.

the General State of the State of the State of the

Suitability: Many uses where extension cords are needed for farm uses. Flood lights for night repairs on lines will make excellent pig brooder s acquire you character of they .

J. Warner Pules, Head

Marant yes

Surplus War Property Disposal Offic

tilled with nine on apares to gayergy workstoons recompletely being

Fig. 111, 28 the aspect to a ministration

SHOWER BOOK SO SHOWERPERS DIRECTOR

ا من المراجعة The sorm the mertility to a new tentalities definitions to a

William of the house

Dur to the months that when the tent of the production of the first of

The bits individuality

desary men, other "morella parella the Andigate order market high for in to fill in the warparelast in make

that there so in the energiance with polycome book one chica phasmagrates

NAME OF TAXABLE Plan Links

PART OF THE STATE OF THE STATE OF THE STATE OF

tomorrow water spool below, Secondaria desiries

1.933
UNITED STATES DEPARTMENT OF AGRICULTURE
Rural Electrification Administration
St. Louis (2). Missouri

SURPLUS WAR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

SPEEDY ACTION ESSENTIAL

Location:

Ohio

January 15, 1945

Condition:

(N = New in original packages)

(0-2 = Used, Good) (0-3 = Useable without repairs)

Price:

As shown below, f.o.b, carrier,

Time Limit:

January 24, 1945

Order Instructions:

Mail orders to us in duplicate with Vendor's name and address blank for us to fill in the appropriate Disposal Agency name, etc. We will retain the

duplicate order for our reference.

Suggestion:

Due to the small quantity that will be required by each Cooperative, it is suggested that the Cooperatives in

each state, group their purchases through one or two Cooperatives to facilitate shipping and billing. The Cooperatives selected by you to make the group purchase should send us their order for the entire group, stating thereon the quantity for each individual Cooperative.

Refer.	Condition	Quan.	Description	Price	ne:
00397	0-2	7	Surveying Alidades - 72" - Dietzen	7.50	
00001	0-2	3		1,50	ea
		3	Surveying Alidades - 10" - K&E, #5200A	7,00	ea
		1	Surveying Alidades - 10" - K&E. #5200A	4.00	ea
			graduated 40 parts to inch with		
			leather case		25
00299	0-3	1	Rod, Philadelphia type	9,00	ea
00397	0-3	7	Rods, wood with micrometer target-		
			Philadelphia 13% extension-Curley	91.9.00	eå
113	1.	110	Charles the second of		ec.
03590	0-2	12	Sets_Drafting instruments, in cases -	70.00	
	(M)	134	(10-Dietzen) (2-K&E)	10.00	ea
			(104516.55ell) (S-Vom) (104516.55ell)		1
03596	N-1	92	Straight edge - wood center - beveled plastic edges. (Hills Co Columbus,		
n a la la com	from the wifes were over that make the transcription	rests of inspectments grade upon pr	plastic edges - (Hills Co Columbus,	Part of the second	in the second
14° 1 4500	5 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	V3. 11. 2 32 2	Ohio) 42" long.	.3.45	ea
1. 1477	. Water and a second	the car will	A CONTRACTOR		
03590-1	N-1	213	Chain-measuring-steel-composition	10,50	ea
			handle-oval ring-metric-25 meters	-0,00	OEs (

In all communications to REA concerning these items, please refer to SWP Release #19a

(Over)

In all communications to REA concerning these items, please refer to SWP Release #19b

Refer:	Condition	Quan.	Description	Price	Per
00397	0-2	16 ^y	Levels-degree and % - K&E	15.00	ea.
03442-1	И	495	Chests - wood 164" wide x 25" long x 8" deep 2 compartment-metal bound	6,50	ea.
rau.			2 hasps no locks		4

Allamos Fyles

CURRENT SERIAL NESSES

FEB 2 6 1945

U. S. DEPARTMENT OF ASSICULTURE

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis (2), Missouri

Location:

Lebanon, Ohio

January 18, 1945

Condition:

New

Price:

As shown below, f.o.b. Carrier

Time Limit:

January 26, 1945

Order Instructions: Mail orders to us in duplicate with Vendor's name and address blank for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order for our reference.

Suggestion:

Due to the small quantity that will be required by each Coonerative, it is suggested that the Cooperatives in each state, group their purchases through one or two

Cooperatives to facilitate shinning and billing. The Cooperative selected by you to make the group nurchase should send us their order for the entire group, stating thereon the quantity for each individual Cooperative.

DPC P.O.#	DPC ITEM #	DESCRIPTION	QUAN.	PRICE
50725	6313	BOLTS, GALV Carriage, 1/2"x 6"	6	.03
1256M 2933M	6325 6326	Eye, 5/8" x 8" Eye, 5/8" x 12"	TO I	.15 .16
50725 Est.	6327 6337	Carriage, 1/2"x 6" Eye, 5/8" x 8" Eye, 5/8" x 12" Eye, 5/8" x 18" Machine, 5/8" x 9"	3	,06
Est. 50725	6338 6339	Machine, 5/8" x 9-1/2" Machine, 5/8" x 10"	25 Z5	,06 ,07
Est.	6340 6341	Machine, 5/8" x 10-1/4" Machine, 5/8" x 11	22 . 69	.07
Est. 1467M	6344	Machine, 5/8" x 12" Machine, 5/8" x 12-1/4"	69 38	.08
Est. 50725	6345 6346	Machine, 5/8" x 14"	9	.085
Est. 50725	6347 6348	Machine, 5/8" x 16"	, 72 28	.095
12560	6349 6350	Machine, 5/8" x 17" Machine, 5/8" x 18"	21	.11
50725 10283	6351 6359	Machine, 5/8" x 20" Machine, 3/4" x 20"	14	,12
50725 50725	6366 6367	Thimbleye Angle, 5/8" x 8" Thimbleye Angle, 5/8" x 10"	73	.19

In all communications to REA concerning these items, please refer to SWP Release #20a

(Over)

In all communications to REA concerning-these items, please refer to SWP Release #20b

	DPC P.O.#	DPC ITEM #	DESCRIPTION	QUAN.	PRICE
	10000		BOLTS, GALV		
	53940	6369	Thimbleye Angle, 5/8" x 8'	28	,19
	8582	6370	Thimbleye Angle, 5/8" x 10'	12	.21
	8582	6372	Thimbleye Angle, 3/4" x 10!	3	.25
	10277	6399	CLAMP, Suspension, 3 OB 80437	7 5	1.40
	Est.	6462	Cutout, fuse primary 100 amp. GE		3 100
-		1, .	9F6A4 7.2/12.5	1	9.00
0	50725	6485	Insulators, Suspension 15 KV 6"		1.00
		. 423	OB 32435	23	100
	10277	6487	Insulators, Suspension 22 KV 10" OB 32430	46	1,25
	50725	6512	NUT - Eye 5/8"	32	.14
	Est.	6513	1 3/4"	8	.16
	50725	6534	Rack, 3 wire secondary w/spools	. 41	.90
	7.4.4	477	J1268		
	59305	6535	" 3 wire secondary #1378	98	.60
	Est.	6544	Rod, conner ground 1/2" x 10'	4	1.00
4	10283	6545	" corner ground 5/8" x 8'	15	1.00
8	58166	6546	" 5/8" x 10' " 3/4" x 10'	4	1.10
	8582	6547	" 3/4" x 10!	15	1.10
	53759	6559	Spool, insulator for secondary	260	.10
			3 wire rack		The particle of the latest and the l
	58166	6584	Transformer GE 26H19		
			primary volt 2400/4160 Y	6	\$40.00
			secondary volts 120/240 1PH. 3K		PART HE PROPERTY OF
	25986	6596	Washer, lock 5/8" 14J159	28	•006
	10283	6603	" square 13/16" hole 3"	698	•018
	10283	6604	" curved 13/16 hole 3"	500	,018
	Est.	6607	Wire, W.P. solid lb. #4	80	.12 Lb.
	12583	6608	" Synthetic casted ft.#6		.015
0	58434	6609	" " Solid, 1b. #8	90	.12 Lb.
7	Est.	6612	" R.C. ft. #4	250	.02 Ft.
	Est.	6623	" Guy Galv. 3/8	1085'	.018 ft.

J. Warner Pyles, Head Surplus War Property Disnosal Office

1.933 Su7

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis (2), Missouri

ITEMS OF INTEREST TO REA BORROWERS

SPEEDY ACTION ESSENTIALS

Location:

Uniontown, Pennsylvania

January 19, 1945

Condition:

New

Price:

As shown below, f.o.b. carrier.

Time Limit:

January 26, 1945

Order Instructions:

Mail orders to us in duplicate with Vendor's name and address blank for us to fill in the appropriate Disposal Agency name, etc. We will retain the

dunlicate order for our reference.

Suggestion:

Due to the small quantity that will be required by each Cooperative, it is suggested that the Cooperatives their purchases through one or two Cooperatives to

(over)

in each state, group their purchases through one or two Cooperatives to facilitate shipping and billing. The Cooperative selected by you to make the group purchase should send us their order for the entire group, stating thereon the quantity for each individual Cooperative.

DPC REF.NO.	DPC ITEM #	DESCRIPTION	QUAN.	PRICE
		100 70	40	
58166	1649	GALVANIZED BOLTS, Anchor 5/8" x7'	48	.55
1475M	1650	" 5/8" x8'	23	.60
8582	1651	" 5/8"x10"	1	.65
8582	1652	" 3/4"x10'	3	.95
1510M	1654	" Carriage 3/8"x4-1/2"	611 4	.02
Est.	1656	" Carriage 1/2"x6"	Pp DA	•03
8582	1663	Double Arm 5/8"x18"	CN, 50	.13
10283	1665	n n n 3/4 x 20 n	27	. SO
1256M	1672	" Eye, 5/8"x8"	6,1	.15
3130M	1673	" , 5/8"x10"	5 5	16
2933N	1674	" 5/8xl2"	11	.16
23163	1675	" 5/8"x13"	3.5	,16
Est.	1676	n 5/8"x16"	11	.18
	1683	Machine 5/8"x8"	128	.06
58166	1685	" 5/8"x14"	194	.085
1479M		" 5/8"x16"	34	.095
10283	1686	" 5/8" x18"	2	.11
10283	1687	1 5/8"x20"	14	.12
8582	1688	" Thimbleye angle 5/8"x10		.21
58166	1700			and the Contract of the Contra
10283	1701	0/0 12		.22
10283	1702	" 5/8"x18	3" 4	. 25

In all communications to REA concerning these items, please refer to: SWP Release #22a

In all communications to REA concerning these items, please refer to SWP Release #22b

DPC	DPC	DESCRIPTION	QUAN.	PRICE
REF . NO	ITEM NO.	DESCRIPTION		2
		Brace, Cross arm 28" Galv.	18	.10
23164	1704	grace, cross aim no surv	178	,18
8582	1716	Clamp, 6", 3 bolt guy Connector, Soderless #6, 902-2 Kearn	ey 10	.08
58166	1757	Connector, Boderless #6, 852 2	56	.07
58166	, 1758	The state of the s	10	.20
50725	1794	Clevis - Dead End - Insulated		
		P. Commission of the Commissio		
		= 5/0H	118	.005
1468M	1805	Locknut, galv. 5/8"	223	.006
1468M	1806	" square galv. 3/4"	8	.14
8582	1813	Nut, 5/8" eye galv.	45	.16
1468M	1814	" 3/4" " galv.	61	.25
10277	1816	Pin, lead top J607	3	.60
23163	1819	Rack, secondary Joslyn 4 wire		Total Section 1
			10	.60
23163	1820	Rack, secondary	75	1.00
50725	1821	w/insulators	404	.025
50725	1823	Screw, lag 1/2"x4"	34	.035
8582	1824	1 5/8"x5"	40	.006
58166	1855	Washer, lock 5/8"	132	.014
58166	1858	" sq. 3/16" x2-1/4" x2-1/4"	2013	The state of the s
		13/16" hole	275	.018
1468M	1859	sq. curved 1/4"x3"x3"x13/16"	2.0	
		hole sq. 1/4"x3"x3"x13/16" hole	173	.018
1468M	1860	" sq. $1/4^{\text{m}} \times 3^{\text{m}} \times 3^{\text{m}} \times 13/16^{\text{m}}$ hole	110	APPLICATION OF THE PERSON OF T
			519	.12 lb.
58434	1865	Wire #6 solid copper lb. Wire #8 " " "	6374	12 lb.
58434	1866	Wire #8	572	.12 "
1346M	1867	1 1/0 hard drawn bare solid lb.	400	.12 "
52491	1868	" 1/0 Medium hard drawn W.P.		
	2	solid ft.	4770	\$18.00 M
50726	1882	" guy ft. 7 strand 3/8" ft.	300	18.00 M
Est.	1883	" guy bethanized 3/8" ft.	000	and the same of th

Marmont yles.

J. Warner Pyles, Head Surplus War Property Disposal Office UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis (2), Missouri

January 23, 1945

Location:

1,933

Fort Logan - near Denver, Colorado

Condition:

Used - useable without repair

Price:

\$.105 per Lb. f.o.b. Carrier

Time Limit:

February 1, 1945

Order Instructions: Mail orders to us in duplicate with Vendor's name and address blank for us to fill in the appropriate Disnosal Agency name, etc. We will retain the duplicate order

for our reference.

T	ITEM NO.	DESCRIPTION	QUANTITY	
1		COPPER WIRE BARE		
	134-1-3	#8 Solid M.H.D not on reel	932 lbs.	
	134-1-5	#8 Solid - not on reel	932 lbs.	
	134-1-4	#4 Solid M.H.D not on reel	156 lbs.	
	134-1-1	#1 Solid H.D on reel	7370 lbs.	
	134-1-7	#1/0 Solid H.D on reel	3086 lbs.	
	134-1-9	#3/0 Str. (7 str.) H.D. on reel	3250 lbs.	
	134-1-10	#4/0 Str. (19 str.) H.D. " "	655 lbs.	

IBRAR' CURRENT SERIAL RECORD FFB 2 6 1945

U. S. DEPARTMENT OF ASSIGNATION

J. Warner Pyles, Head

Surnlus War Property Disposal Office

In all communications to REA concerning these items, please refer to: SWP Release #26

1. 54

1.933 Su7

UNITED STATES DEPARTMENT OF AGRICULTURE Rural Electrification Administration St. Louis (2), Missouri

SURPLUS WWOR PROPERTY ITEMS OF INTEREST TO REA BORROWERS

SPEEDY ACTION ESSENTIAL

Location:

January 24, 1945 Texas - Denison at U.S. Eng. Whse, 200 E. Bond St,

- Dumas at Cactus Ordnance Plant

- Gainesville at Camp Howze, Whso #7 or #9

Condition:

New

LIBRARY CURRENT SERIAL RECORD

Price:

As shown below, f.o.b. Carrier

FEB 2 6 1945

Time Limit:

January 30, 1945

U. S. DESTAN WAT DE ASSIGULTURE

Order Instructions:

Mail orders to us in duplicate with Vendor's name and address blank for us to fill in the appropriate Disposal Agency name, etc. We will retain the duplicate order

for our reference.

ITEM NO.	MAJOR GROUP	QUAN.	DESCRIPTION	LOCATION	PRICE
		308	Braces, crossarm, $1-1/4^n \times 1/4 \times 37^n$	Dumas	,10 es
		145	Connectors, Reliable No. 744AL	11	.25 ea
		48	Clamps, Deadend Pinco #4038	11	.25 es
		13	Connectors, Reliable #438AL	11	.15 er
		28	Clevises, Thimble Type, Galv. 5/8" Josyln	H	.20 es
		96	Clevises, Insulator, Joslyn 093	11	.18 ea
. he		413	Insulators, Pin Type 22KV, Locke #1035	11	.50 ea
		1755	Suspension Type, 71 Bell,		
			Ohio Brass	11	1.00 ea
38	32	1625	Heads, Lead, 1" Head, Threaded to fit	Denison	.02 es
	,		Co a 5/8" Bolt, Line Mat'l Co.		
74	11	1520	Condulets, Screwed 1-1/4" Explosion Proof, R.& S. Co., 2 way	11	,25 e
274	II.	2	Cut-outs, Fuse, w/holder, oil, pole type	tt .	5.00 ea
275	II.	3	" " open, drop-out ind. 50A-5000V	# .	5.00 ea
in a second		w	Model #9F6A14		
276	11	3	primary, enclosed drop-out ind. 100-A-7500V G.E.	H	7.50 es

In all communications to REA concerning these items, please refer to SWP Release #25a

(Over)

In all communications to RFA concerning. these items, please refer to SWP Release #25b.

NO	MÄJOR GROUP		DESCRIPTION	LOCATION	PRICE
277	32	1	Cut-outs, Fuse, W/holder, primary, enclosed	Denison	5,00 ea
		11.25	drop-out, ind. 100- 5000V G.E.	ii K	***********
280	11	1	Switch, G.E. Cut out Disconnection, switch, 200 amb. 15000V	Geinesville	8.00 ea
290	11	1007	Plates, 4", for outlet Boxes, Single devices Steel City #5200-14	# n # n 721862-144	,02 ca

THE RESERVE OF THE PERSON OF T

ATT TO THE

2.35.

13/1/1/ 1

The March of the

J. Warner Pyles, Head

· jacker with

Surnlus War Property Disnosal Office

Etwa 1

-- Where the Cratus Contains Final To the American St. D. D. Maj. When, Principle B. S. S.

Standard The Towns Standard Dr. The Standard